



Opće informacije

Materijal broj	93877
Tip	podna rasvjeta
Produkt segment	Unutarnja rasvjeta
Tema	ostalo/ nije dodijeljeno
Klasa energetske efikasnosti	F

Dimenzije

Visina proizvoda (u mm/in)	1800
Dužina proizvoda (u mm/in)	360
Neto težina (u kg)	6,34
Promjer baze (u mm/in)	250

Materijal & boja

Materijal kućišta	čelik
Boja kućišta	mesing
Materijal stakla/sjenila	staklo, plastika
Boja stakla/sjenila	bijelo, saten

Functionality

Tip prekidača	potenciometar on/off
Funkcija	moгуća zamjena LED
Baterija	Ne

Tehnički podaci

Stupanj zaštite	IP20
Klasa zaštite	2
Mrežni napon	220-240V,50/60Hz
Napon rada	12V
Dimabilno	Yes
max. Snaga (1)	20W
max. Snaga (2)	2,5W
max. Snaga (3)	2,5W
Napon	220-240V
U out	24V
I out	1250mA
Hz	100Hz

Illuminant 1

Tip utičnice (1)	LED
Tip žarulje (1)	LED
Žarulja uklj. (1)	Uključeno
Lumen	1950;240;250
Kelvin	3000K
Boja svjetla	WARM WHITE;WARM WHITE;WARM WHI
Klasa energetske efikasnosti	F
Dimabilno	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

Illuminant 2

Grlo (2)	LED
Tip žarulje (2)	LED
Žarulja uklj. (2)	Uključeno
Lumen	1950;240;250
Kelvin	3000K
Boja svjetla	WARM WHITE;WARM WHITE;WARM WHI
Dimabilno	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

Illuminant 3

Grlo (3)	LED
Tip žarulje (3)	LED
Žarulja uklj. (3)	Uključeno
Lumen	1950;240;250
Kelvin	3000K
Boja svjetla	WARM WHITE;WARM WHITE;WARM WHI
Klasa energetske efikasnosti	F
Dimabilno	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist

LED	warm WHITE	LED	warm WHITE	LED	warm WHITE				
20W	1950lm	2.5W	240lm	2.5W	250lm				

