



Opće informacije

Materijal broj	98246
Tip	Ugradbeno svjetlo
Produkt segment	Unutarnja rasvjeta
Tema	ostalo/ nije dodijeljeno
Klasa energetske efikasnosti	F

Dimenzije

Visina proizvoda (u mm/in)	42
Promjer proizvoda (u mm/in)	88
Dubina ugradnje (u mm/in)	50
Izrez (u mm/in)	68
Neto težina (u kg)	0,13

Materijal & boja

Materijal kućišta	aluminij
Boja kućišta	saten nikal

Functionality

Tip prekidača	bez prekidača
Funkcija	nije moguća zamjena LED
Baterija	Ne

Tehnički podaci

Stupanj zaštite	IP20
Klasa zaštite	2
Mrežni napon	220-240V,50/60Hz
Dimabilno	Yes
max. Snaga (1)	6W

Illuminant 1

Tip utičnice (1)	LED
Tip žarulje (1)	LED
Žarulja uklj. (1)	Uključeno
Lumen	450
Kelvin	4000K
Boja svjetla	WHITE
Klasa energetske efikasnosti	F
Dimabilno	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

Kompatibilni prigušivači

NR.06: 5TC8 256 - SIEMENS	1
NR.07: 2262 00 - GIRA	1
NR.08: 2873 - BERKER	1
NR.11: 5TC8 284 - SIEMENS	1
NR.12: 2247 U - BUSCH-JAEGER	1
NR.19: 7759 03 ADW-ETL4 - LEGRAND	1
Nr.20: 6523 U - BUSCH-JAEGER	1
Nr.21: 32E450UDM - CLIPSAL	1
Nr.22: Cat 400T - LEGRAND	1
Nr.24: 6524 U - BUSCH-JAEGER	1
Nr.25: 225 NV DE - JUNG	1
Nr.28: 8542 12 00 - BERKER	1
Nr.29: 5TC8 263 - SIEMENS	1
Nr.31: 5TC8211-0 - SIEMENS	1
Nr.32: System 2000 2385 00 - GIRA	1
Nr.33: ETD U2 - SCHALK	1
Nr.34: EUD61NPN-UC - ELTAKO	1

