



## General Information

|                               |                |
|-------------------------------|----------------|
| Material number               | 32753          |
| Type                          | recessed light |
| Product segment               | Indoor         |
| Theme                         | EGLO connect   |
| Energy efficiency class (EEI) | E              |

## Dimensions

|                               |     |
|-------------------------------|-----|
| Article Diameter (in mm/in)   | 120 |
| Installation Depth (in mm/in) | 30  |
| Cutout (in mm/in)             | 108 |
| Net Weight (in kg)            | 0.2 |

## Material & Colour

|                      |              |
|----------------------|--------------|
| Enclosure Material   | cast metal   |
| Enclosure Colour     | satin nickel |
| Glass/Shade Material | plastic      |
| Glass/Shade Colour   | white        |

## Functionality

|             |                                                                          |
|-------------|--------------------------------------------------------------------------|
| Switch Type | without switch                                                           |
| Function    | LED not replaceable<br>control via APP + remote control<br>BLE, CCT, RGB |
| Battery     | No                                                                       |

## Technical Information

|                   |                  |
|-------------------|------------------|
| Protection Degree | IP20             |
| Protection Class  | 2                |
| Mains Voltage     | 220-240V,50/60Hz |
| Dimmable          | Yes              |
| max. Wattage (1)  | 5,4W             |

## Illuminant 1

|                                   |            |
|-----------------------------------|------------|
| Socket Type (1)                   | LED        |
| Illuminant Type (1)               | LED        |
| Illuminant incl. (1)              | Inclusive  |
| Lumen Complete                    | 700        |
| Kelvin Complete                   | 2700-6500K |
| Light colour Complete             | RGB+TW     |
| Nominal Lifetime (in h)           | 25,000     |
| Switching Cycles                  | 15000      |
| Energy efficiency class (EEI)     | E          |
| Dimmable                          | Yes        |
| Rated Lamp Power (0,1W precision) | 5,2        |
| Colour Tolerance (LED, SDCM)      | <6         |



32753  
FUEVA-C

