39283
ANTELAO



General Information

Material number	39283
Type	pendant light
Product segment	Indoor
Theme	Crystal & Design
Energy efficiency class (EEI)	D

Dimensions

Article Height (in mm/in)	1500
Article Width (in mm/in)	320
Article Length (in mm/in)	1150
Net Weight (in kg)	7.2

Material & Colour

Enclosure Material	steel
Enclosure Colour	chrome
Glass/Shade Material	brilliant glass
Glass/Shade Colour	clear

Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

39283
ANTELAO

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
max. Wattage (1)	38W

Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	5600
Kelvin Complete	4000K
Light colour Complete	WHITE
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Energy efficiency class (EEI)	D
Dimmable	Yes
Info changeability□light source/driver	LED + driver can be exchanged by a specialist
Rated Lamp Power (0,1W precision)	39
Colour Tolerance (LED, SDCM)	<6

39283
ANTELAO

Compatible Dimmers

NR.01: 2830 10 - BERKER	1
NR.02: 434 - PEHA	1
NR.03: 2250 U - BUSCH-JAEGER	1
NR.05: 266 GDE - JUNG	1
NR.07: 2262 00 - GIRA	1
NR.08: 2873 - BERKER	1
NR.09: 852,095 - OPUS	1
NR.10: 286710 - BERKER	1
NR.11: 5TC8 284 - SIEMENS	1
NR.12: 2247 U - BUSCH-JAEGER	1
NR.13: 6519 U - BUSCH-JAEGER	1
NR.14: 6513 U-102 - BUSCH-JAEGER	1
NR.15: 577199 - MERTEN	1
NR.16: 0307 00 - GIRA	1
NR.17: 433 HAB - PEHA	1
NR.18: 225 TDE - JUNG	1
NR.19: 7759 03 ADW-ETL4 - LEGRAND	1
Nr.20: 6523 U - BUSCH-JAEGER	1
Nr.22: Cat 400T - LEGRAND	1
Nr.24: 6524 U - BUSCH-JAEGER	1
Nr.25: 225 NV DE - JUNG	1
Nr.26: 315GLE - ELKO	1
Nr.27: H-GDM250 - HAMILTON	1
Nr.28: 8542 12 00 - BERKER	1
Nr.29: 5TC8 263 - SIEMENS	1
Nr.31: 5TC8211-0 - SIEMENS	1
Nr.32: System 2000 2385 00 - GIRA	1
Nr.33: ETD U2 - SCHALK	1
Nr.34: EUD61NPN-UC - ELTAKO	1



38W 5600lm

Contact | Support
eglo.com/en/eglo-worldwide