



General Information

Material number	39347
Type	pendant light
Product segment	Indoor
Theme	Crystal & Design

Dimensions

Article Height (in mm/in)	1500
Article Width (in mm/in)	50
Article Length (in mm/in)	1170
Net Weight (in kg)	2.12

Material & Colour

Enclosure Material	aluminium, steel, wood
Enclosure Colour	brushed aluminium, satin nicke
Cable Colour	transparent
Glass/Shade Material	plastic
Glass/Shade Colour	white

Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
max. Wattage (1)	21W
max. Wattage (2)	8,4W
Voltage	220-240V 50/60Hz
U out	34-51,5V
I out	700mA
Hz	100Hz

Illuminant 1


Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	2500;1000
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Dimmable	Yes

Illuminant 2

Socket Type (2)	LED
Illuminant Type (2)	LED
Illuminant incl. (2)	Inclusive
Lumen Complete	2500;1000
Kelvin Complete	3000K
Light colour Complete	WARM WHITE;WARM WHITE
Dimmable	Yes

Compatible Dimmers

NR.01: 2830 10 - BERKER	1
NR.02: 434 - PEHA	1
NR.03: 2250 U - BUSCH-JAEGER	1
NR.04: 0300 00 - GIRA	1
NR.05: 266 GDE - JUNG	1
NR.07: 2262 00 - GIRA	1
NR.08: 2873 - BERKER	1
NR.10: 286710 - BERKER	1
NR.11: 5TC8 284 - SIEMENS	1
NR.12: 2247 U - BUSCH-JAEGER	1
NR.13: 6519 U - BUSCH-JAEGER	1
NR.14: 6513 U-102 - BUSCH-JAEGER	1
NR.15: 577199 - MERTEN	1
NR.16: 0307 00 - GIRA	1
NR.17: 433 HAB - PEHA	1
NR.18: 225 TDE - JUNG	1
NR.19: 7759 03 ADW-ETL4 - LEGRAND	1
Nr.20: 6523 U - BUSCH-JAEGER	1
Nr.21: 32E450UDM - CLIPSAL	1
Nr.22: Cat 400T - LEGRAND	1
Nr.23: 6591 U-101 - BUSCH-JAEGER	1
Nr.24: 6524 U - BUSCH-JAEGER	1
Nr.25: 225 NV DE - JUNG	1
Nr.26: 315GLE - ELKO	1
Nr.27: H-GDM250 - HAMILTON	1
Nr.28: 8542 12 00 - BERKER	1
Nr.29: 5TC8 263 - SIEMENS	1
Nr.30: 852,096 - OPUS	1
Nr.31: 5TC8211-0 - SIEMENS	1
Nr.32: System 2000 2385 00 - GIRA	1
Nr.33: ETD U2 - SCHALK	1
Nr.34: EUD61NPN-UC - ELTAKO	1
Nr.35: 6523 U-102 - BUSCH-JAEGER	1



Technical changes reserved

3/3



Contact | Support
eglo.com/en/eglo-worldwide