



General Information

Material number	95409
Type	wall light
Product segment	Outdoor
Theme	sonstige / nicht zuordenbar

Dimensions

Article Height (in mm/in)	235
Article Length (in mm/in)	205
Net Weight (in kg)	0.95
Article Overhang (in mm/in)	50

Material & Colour

Enclosure Material	aluminium
Enclosure Colour	silver
Glass/Shade Material	glass
Glass/Shade Colour	clear

Functionality

Switch Type	sensor
Sensor Angle (in °)	100
Sensitivity max. (in lux)	2000
Burning Time min. (in sec.)	6
Burning Time max. (in sec.)	270
Distance (in Meter)	6
Function	LED not replaceable
Battery	No

Technical Information

Protection Degree	IP44
Protection Class	1
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	No
max. Wattage (1)	30W

Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	2750
Kelvin Complete	6500K
Light colour Complete	COLD WHITE
Lumen with Cover	2030
Nominal Lifetime (in h)	25,000
Switching Cycles	15000
Dimmable	No
Rated Lamp Power (0,1W precision)	30
Colour Tolerance (LED, SDCM)	<6

				
30W	2750lm			IP44

95409 FAEDO 1

