98302
SALICETO



General Information

Material number	98302
Type	recessed light
Product segment	Indoor
Theme	sonstige / nicht zuordenbar
Energy efficiency class (EEI)	G

Dimensions

Article Height (in mm/in)	42
Article Width (in mm/in)	88
Article Length (in mm/in)	88
Installation Depth (in mm/in)	50
Cutout (in mm/in)	68
Net Weight (in kg)	0.13

Material & Colour

Enclosure Material	aluminium
Enclosure Colour	white

Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

98302
SALICETO

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Operation Voltage	220-240V,50/60Hz
Dimmable	Yes
max. Wattage (1)	6W

Illuminant 1


Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Lumen Complete	450
Kelvin Complete	2700K
Light colour Complete	WARM WHITE
Energy efficiency class (EEI)	G
Dimmable	Yes
Info changeability□light source/driver	LED exchangeable by a specialist, no driver included

Compatible Dimmers

NR.06: 5TC8 256 - SIEMENS	1
NR.07: 2262 00 - GIRA	1
NR.08: 2873 - BERKER	1
NR.11: 5TC8 284 - SIEMENS	1
NR.12: 2247 U - BUSCH-JAEGER	1
NR.19: 7759 03 ADW-ETL4 - LEGRAND	1
Nr.20: 6523 U - BUSCH-JAEGER	1
Nr.21: 32E450UDM - CLIPSAL	1
Nr.22: Cat 400T - LEGRAND	1
Nr.24: 6524 U - BUSCH-JAEGER	1
Nr.25: 225 NV DE - JUNG	1
Nr.28: 8542 12 00 - BERKER	1
Nr.29: 5TC8 263 - SIEMENS	1
Nr.31: 5TC8211-0 - SIEMENS	1
Nr.32: System 2000 2385 00 - GIRA	1
Nr.33: ETD U2 - SCHALK	1
Nr.34: EUD61NPN-UC - ELTAKO	1



6W 450lm Ø 68



Contact | Support
eglo.com/en/eglo-worldwide